




ORAL CHOLERA VACCINATION IN ETHIOPIA

Beyene Moges (MD, PhD) Deputy Director General Ethiopian Public Health Institute (EPHI) Center for Public Health Emergency

Management (PHEM)

OCV USE IN ETHIOPIA

- •April 2019: IDP number passes 3 million
- •April 09: 1st request submitted
- •April 28: Outbreak confirmed
- •May 10: Re-application successful
- •May 17: delivery of 778,766 doses
- •Since May: 491,681 doses administered with 93.9% coverage
- •Dec 09 12: 2nd dose planned for 5 districts



• Prior to 2019, OCV was given in a refugee camp and during one feasibility study

WASH COMPONENT

Before OCV Campaign

- Provision of safe water supplies
- Prepositioning of medical supplies and CTC kits
- Risk communication



During OCV Campaign

- Distribution of WTCs, WASH NFIs
- •~500 HH latrines were constructed
- •Residual chlorine testing
- Environmental and food samples tested for contaminants
- •Risk comm. (incl. religious leaders)
- •75 Latrine constructed at holy water sites



CHALLENG ES

- Shortage of OCV vaccine
 intensified by the nature of the
 outbreak with 61 districts affected
- \diamond Inaccurate planning due to
- disparity between estimated
- population and the situation on
- the ground
- ♦ New areas, where prioritization has not been conducted. continue

WAY FORWARD

- National Cholera Control Plan
 under preparation
- Plan to request additional doses
 from ICG to provide 2nd dose
 vaccination
 - WASH activities, including risk communication, to continue with special focus on high-risk areas such as holy water sites

አጦሰግናለሁ

Together we can #endcholera

